

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("20020107835").PN.	US-PGPUB	OR	OFF	2007/11/01 12:03
S1	458	(in with memory) with (DBMS or database or data-base or "data base") and "707"/\$.ccls. and cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 17:13
S2	680	(in with memory) with (DBMS or database or data-base or "data base") and "707"/\$.ccls. and (cache or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 17:14
S3	30	(in with memory) with (DBMS or database or data-base or "data base") and "707"/\$.ccls. and (cache or buffer).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 17:44
S4	224	(DBMS or database or data-base or "data base") and "707"/\$.ccls. and ((cache or buffer) with (govern or manage or supervise or control or controller or administer or manager or supervisor)) and memory and ((application or program) with (development or develop))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 17:52
S5	81	(DBMS or database or data-base or "data base") and "707"/\$.ccls. and ((cache or buffer) with (govern or manage or supervise or control or controller or administer or manager or supervisor) with memory) and ((application or program) with (development or develop))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 18:07
S6	11	imdb and ("707"/\$.ccls. or "710"/\$.ccls. or "711"/\$.ccls. or "720"/\$.ccls.) and (cache or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 19:48
S7	17	imdb and ((application or program) with server) and (cache or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 19:48

EAST Search History

S8	147	(DBMS or IMDB or MMDB) and (cache with (manage or control or controller or manager)) and ("707"/\$.ccls. or "710"/\$.ccls. or "711"/\$.ccls. or "720"/\$.ccls.) and ((application or program) with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 19:56
S9	5	(IMDB or MMDB) and (cache with (manage or control or controller or manager)) and ("707"/\$.ccls. or "710"/\$.ccls. or "711"/\$.ccls. or "720"/\$.ccls.) and ((application or program) with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 19:58
S10	35	(IMDB or MMDB or (((in adj memory) or (main adj memory)) with (database or data-base or "data base"))) and (cache with (manage or control or controller or manager)) and ("707"/\$.ccls. or "710"/\$.ccls. or "711"/\$.ccls. or "720"/\$.ccls.) and ((application or program) with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 19:59
S11	15	(US-20020065899-\$ or US-20020069318-\$ or US-20020073076-\$ or US-20020087798-\$ or US-20020091712-\$ or US-20020156786-\$ or US-20030005228-\$).did. or (US-5465352-\$ or US-5870763-\$ or US-6073129-\$ or US-6128623-\$ or US-6389513-\$ or US-6453319-\$ or US-6457021-\$ or US-6915307-\$). did.	US-PGPUB; USPAT	OR	OFF	2006/01/31 17:46
S12	9	S11 and event	US-PGPUB; USPAT	OR	OFF	2006/01/31 17:51
S13	182	((event with table) same (cache or buffer)) and ("707"/\$.ccls. or "710"/\$.ccls. or "711"/\$.ccls. or "720"/\$.ccls.) and (pointer or pointing or points or point)	US-PGPUB; USPAT	OR	OFF	2006/01/31 17:55
S14	41	((event or events) adj2 (table or tables)) same (cache or buffer)) and ("707"/\$.ccls. or "710"/\$.ccls. or "711"/\$.ccls. or "720"/\$.ccls.) and (pointer or pointing or points or point)	US-PGPUB; USPAT	OR	OFF	2006/01/31 18:27
S15	5	ameritrade.as.	US-PGPUB; USPAT	OR	OFF	2006/01/31 18:45

EAST Search History

S16	269	(cache with rule) and ("707"/\$.ccls. or "710"/\$.ccls. or "711"/\$.ccls. or "720"/\$.ccls.)	US-PGPUB; USPAT	OR	OFF	2006/01/31 18:49
S17	19	(cache with rule with table) and ("707"/\$.ccls. or "710"/\$.ccls. or "711"/\$.ccls. or "720"/\$.ccls.)	US-PGPUB; USPAT	OR	OFF	2006/01/31 18:49
S18	518	(in with memory) with (DBMS or database or data-base or "data base") and "707"/\$.ccls. and cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 20:05
S19	751	(in with memory) with (DBMS or database or data-base or "data base") and "707"/\$.ccls. and (cache or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 20:06
S20	32	(in with memory) with (DBMS or database or data-base or "data base") and "707"/\$.ccls. and (cache or buffer).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 20:05
S21	250	(DBMS or database or data-base or "data base") and "707"/\$.ccls. and ((cache or buffer) with (govern or manage or supervise or control or controller or administer or manager or supervisor)) and memory and ((application or program) with (development or develop))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 20:06
S22	92	(DBMS or database or data-base or "data base") and "707"/\$.ccls. and ((cache or buffer) with (govern or manage or supervise or control or controller or administer or manager or supervisor) with memory) and ((application or program) with (development or develop))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 18:34
S23	11	imdb and ("707"/\$.ccls. or "710"/\$.ccls. or "711"/\$.ccls. or "720"/\$.ccls.) and (cache or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 20:05

EAST Search History

S24	17	imdb and ((application or program) with server) and (cache or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 20:06
S25	167	(DBMS or IMDB or MMDB) and (cache with (manage or control or controller or manager)) and ("707"/\$.ccls. or "710"/\$.ccls. or "711"/\$.ccls. or "720"/\$.ccls.) and ((application or program) with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 20:04
S26	5	(IMDB or MMDB) and (cache with (manage or control or controller or manager)) and ("707"/\$.ccls. or "710"/\$.ccls. or "711"/\$.ccls. or "720"/\$.ccls.) and ((application or program) with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 20:05
S27	43	(IMDB or MMDB or (((in adj memory) or (main adj memory)) with (database or data-base or "data base"))) and (cache with (manage or control or controller or manager)) and ("707"/\$.ccls. or "710"/\$.ccls. or "711"/\$.ccls. or "720"/\$.ccls.) and ((application or program) with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 20:06
S28	15	(US-20020065899-\$ or US-20020069318-\$ or US-20020073076-\$ or US-20020087798-\$ or US-20020091712-\$ or US-20020156786-\$ or US-20030005228-\$).did. or (US-5465352-\$ or US-5870763-\$ or US-6073129-\$ or US-6128623-\$ or US-6389513-\$ or US-6453319-\$ or US-6457021-\$ or US-6915307-\$). did.	US-PGPUB; USPAT	OR	OFF	2006/07/13 18:34
S29	9	S28 and event	US-PGPUB; USPAT	OR	OFF	2006/07/13 18:34
S30	195	((event with table) same (cache or buffer)) and ("707"/\$.ccls. or "710"/\$.ccls. or "711"/\$.ccls. or "720"/\$.ccls.) and (pointer or pointing or points or point)	US-PGPUB; USPAT	OR	OFF	2006/11/30 20:04

EAST Search History

S31	43	((event or events) adj2 (table or tables)) same (cache or buffer)) and ("707"/\$.ccls. or "710"/\$.ccls. or "711"/\$.ccls. or "720"/\$.ccls.) and (pointer or pointing or points or point)	US-PGPUB; USPAT	OR	OFF	2006/11/30 20:05
S32	8	ameritrade.as.	US-PGPUB; USPAT	OR	OFF	2006/07/13 18:34
S33	285	(cache with rule) and ("707"/\$.ccls. or "710"/\$.ccls. or "711"/\$.ccls. or "720"/\$.ccls.)	US-PGPUB; USPAT	OR	OFF	2006/11/30 20:05
S34	23	(cache with rule with table) and ("707"/\$.ccls. or "710"/\$.ccls. or "711"/\$.ccls. or "720"/\$.ccls.)	US-PGPUB; USPAT	OR	OFF	2006/11/30 20:05
S35	1	("20020107835").PN.	US-PGPUB	OR	OFF	2006/11/30 17:42
S36	184	(DBMS or IMDB or MMDB) and (cache with (manage or control or controller or manager)) and ("707"/\$.ccls. or "710"/\$.ccls. or "711"/\$.ccls. or "720"/\$.ccls.) and ((application or program) with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 20:06
S37	206	((event with table) same (cache or buffer)) and ("707"/\$.ccls. or "710"/\$.ccls. or "711"/\$.ccls. or "720"/\$.ccls.) and (pointer or pointing or points or point)	US-PGPUB; USPAT	OR	OFF	2006/11/30 20:06
S38	11	imdb and ("707"/\$.ccls. or "710"/\$.ccls. or "711"/\$.ccls. or "720"/\$.ccls.) and (cache or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 20:06
S39	33	(in with memory) with (DBMS or database or data-base or "data base") and "707"/\$.ccls. and (cache or buffer).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 20:06
S40	574	(in with memory) with (DBMS or database or data-base or "data base") and "707"/\$.ccls. and cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 20:06

EAST Search History

S41	43	((event or events) adj2 (table or tables)) same (cache or buffer) and ("707"/\$.ccls. or "710"/\$.ccls. or "711"/\$.ccls. or "720"/\$.ccls.) and (pointer or pointing or points or point)	US-PGPUB; USPAT	OR	OFF	2006/11/30 20:06
S42	5	(IMDB or MMDB) and (cache with (manage or control or controller or manager)) and ("707"/\$.ccls. or "710"/\$.ccls. or "711"/\$.ccls. or "720"/\$.ccls.) and ((application or program) with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 20:06
S43	316	(cache with rule) and ("707"/\$.ccls. or "710"/\$.ccls. or "711"/\$.ccls. or "720"/\$.ccls.)	US-PGPUB; USPAT	OR	OFF	2006/11/30 20:06
S44	25	(cache with rule with table) and ("707"/\$.ccls. or "710"/\$.ccls. or "711"/\$.ccls. or "720"/\$.ccls.)	US-PGPUB; USPAT	OR	OFF	2006/11/30 20:06
S45	265	(DBMS or database or data-base or "data base") and "707"/\$.ccls. and ((cache or buffer) with (govern or manage or supervise or control or controller or administer or manager or supervisor)) and memory and ((application or program) with (development or develop))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 20:06
S46	47	(IMDB or MMDB or (((in adj memory) or (main adj memory)) with (database or data-base or "data base"))) and (cache with (manage or control or controller or manager)) and ("707"/\$.ccls. or "710"/\$.ccls. or "711"/\$.ccls. or "720"/\$.ccls.) and ((application or program) with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 20:06
S47	817	(in with memory) with (DBMS or database or data-base or "data base") and "707"/\$.ccls. and (cache or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 20:06
S48	19	imdb and ((application or program) with server) and (cache or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 20:06

EAST Search History

S49	177	cache with wrapper	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:48
-----	-----	--------------------	--	----	-----	------------------

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▼](#)[Sign in](#)[Google](#)

cache wrapper

[Search](#)[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about 1,860,000 for **cache wrapper**. (0.19 seconds)

Http: A **caching** XmlHttpRequest wrapper

Http: A **Caching** XmlHttpRequest **Wrapper**. 29 Jul 2005. Version: 1.2.2 Download: files/request.js. A **wrapper** for XmlHttpRequest that supports forced **caching** on ... adamv.com/dev/javascript/http_request - 8k - [Cached](#) - [Similar pages](#)

[PDF] **Cache** Manager v1.0 Component Specification

File Format: PDF/Adobe Acrobat - [View as HTML](#)

When refreshing a **cache**, the **cache wrapper** will use **cache** loader to load ... **Cache** event listener is the listener be set into **cache wrapper** to listen the ... software.topcoder.com/catalog/document?id=26970893 - [Similar pages](#)

Index (Topcoder Software)

CacheWrapper: Adds **cache** event listener into this **cache wrapper**. ... **Cache** event listener is the listener be set into **cache wrapper** to listen the CRUD, ... software.topcoder.com/catalog/javadoc/26922823/26922830/index-all.html - 96k - [Cached](#) - [Similar pages](#)

Eamonn McManus's Blog: October 2006 Archive

We use reflection to bypass the usual Java language checks that would prevent the generated **Cache\$Wrapper** class from accessing the private used field of the ... weblogs.java.net/blog/emcmanus/archive/2006/10/index.html - 49k - [Cached](#) - [Similar pages](#)

Chapter 4. Deploying JBoss **Cache**

The **wrapper** will construct the **Cache** : ... `getCache()`; ... use the **cache** ... on application shutdown `wrapper.stop()`; `wrapper.destroy()`; ... labs.jboss.com/.../default/members/jbosscache/freezone/docs/2.1.0.BETA1/userguide_en/html/deployment.html - 41k - [Cached](#) - [Similar pages](#)

Chapter 5. Configuration and Deployment

`registerMBean(wrapper, on);` // Invoking lifecycle methods on the **wrapper** results // in a call through to the **cache wrapper.create()**; `wrapper.start()`; ... labs.jboss.com/.../default/members/jbosscache/freezone/docs/2.0.0.GA/PojoCache/en/html/configuration.html - 27k - [Cached](#) - [Similar pages](#)
[[More results from labs.jboss.com](#)]

[#CMP-237] Support ability to wrap connection (using Lucene ...

On top of it, a ram **cache wrapper** should be implemented, which will **cache** index data in memory (also allows for setting a threshold). ... jira.compassframework.org/browse/CMP-237 - 22k - [Cached](#) - [Similar pages](#)

[#CONF-7808] Threads getting stuck in HitTrackingLocalCache ...

Highly concurrent use (including reads) of our default **cache wrapper**, ... This **wrapper** is designed to track **cache** usage to provide statistics on the **Cache** ...

jira.atlassian.com/browse/CONF-7808 - 32k - [Cached](#) - [Similar pages](#)

[code elements » Cache lite **Wrapper** Class](#)

This allows the client code of **cache wrapper** to simply call `getCall()`, `getData()`, and `saveData()` without needing to know that different base `CacheLite` ...

codeelements.com/php/cache_lite-wrapper-class/ - 38k - [Cached](#) - [Similar pages](#)

[Community Server :: Blogs](#)

I'm nearly finished with my **cache wrapper** object, which I've named ... My latest pet project is the creation of a **cache wrapper** object that extends the ...

thetodnet.com/blogs/ - 53k - [Cached](#) - [Similar pages](#)

1 2 3 4 5 6 7 8 9 10 [Next](#)

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)